



蔡 主 權 副研究員 (2007/9/1 退休)
Tsai, Chu-Chuan Associate Research Fellow (2007/9/1 Retired)
研究領域：地震工程學、結構工程學、工程地震學

〔學 歷〕

- 1992：美國史丹福大學 土木工程 博士
- 1982：臺灣工業技術學院 營建 碩士
- 1975：中原理工學院 土木工程 學士

〔經 歷〕

- 2001/3 – 2007/8: 中央研究院 地球科學研究所 副研究員
- 1993/01 - 2001/3：中央研究院 地球科學研究所 助研究員
- 1984/08 - 1992/12：中央研究院 地球科學研究所 助理研究員
- 1983/09 - 1984/07：國立臺灣工業技術學院 營建工程技術系 兼任研究助理
- 1978/02 - 1984/07：臺灣省立瑞芳高級工業職業學校 建築科 教師

〔學會/榮譽〕

- Earthquake Engineering Research Institute
- Seismological Society of America
- American Geophysical Union
- Chinese Institute of Civil & Hydraulic Engineering

〔著 作〕

SCI-EXPANDED REFEREED PAPERS

1. **Tsai, Chu-Chuan Peter**, Yi-Hau Chen, and Chia-Hsin Liu (2006). The path effect in ground-motion variability: An application of the variance-components technique, *Bull. Seism. Soc. Am.* **96**, No. 3, 1170-1176.
2. Chen, Y. H. and **C.-C. P. Tsai** (2002). A new method for estimation of the attenuation relationship with variance components, *Bull. Seism. Soc. Am.*, 92(5), 1984-1991.
3. Hwang, R. D., J. H. Wang, B. S. Huang, K. C. Chen, W. G. Huang, T. M. Chang, H. C. Chiu, and **C.-C. P. Tsai** (2001). Estimates of stress drop of the Chi-Chi, Taiwan, earthquake of 20 September 1999 from near-field seismograms, *Bull. Seism. Soc. Am.* **91**, No. 5, 1158-1166.
4. Chen, K. C., B. S. Huang, J. H. Wang, W. G. Huang, T. M. Chang, R. D. Hwang, H. C. Chiu, and **C.-C. P. Tsai** (2001). An observation of rupture pulses of the 20 September 1999 Chi-Chi, Taiwan, earthquake from near-field seismograms, *Bull. Seism. Soc. Am.* **91**, No. 5, 1247-1254.
5. Huang, W. G., J. H. Wang, B. S. Huang, K. C. Chen, T. M. Chang, R. D. Hwang, H. C. Chiu, and **C.-C. P. Tsai** (2001). Estimates of source parameters for the 1999 Chi-Chi, Taiwan, earthquake based on Brune's source model, *Bull. Seism. Soc. Am.* **91**, No. 5, 1190-1198.

6. **Tsai, C.-C. P.** and K. C. Chen (2000). A model for the high-cut process of strong-motion accelerations in terms of distance, magnitude, and site condition: An example from the SMART 1 array, Lotung, Taiwan, *Bull. Seism. Soc. Am.* **90**, No. 6, 1535-1542.
7. **Tsai, C.-C. P.** (2000). Probabilistic seismic hazard analysis considering nonlinear site effect, *Bull. Seism. Soc. Am.* **90**, No. 1, 66-72.
8. Huang, B. S., K. C. Chen, W. G. Huang, J. H. Wang, T. M. Chang, R. D. Hwang, H. C. Chiu, and **C.-C. P. Tsai** (2000). Characteristics of strong ground motion across a thrust fault tip from the September 21, 1999, Chi-Chi, Taiwan earthquake, *Geophys. Res. Lett.* **27**, 2729-2732.
9. **Tsai, C.-C. P.** (1998). Ground motion modeling in the near-source regime: A barrier model, *TAO*, **9**, No. 1, 15-30.
10. **Tsai, C.-C. P.** (1998). Engineering ground motion modeling in the near-source regime using the specific barrier model for probabilistic seismic hazard analysis, *Pure appl. geophys.* **152**, No. 1, 107-123.
11. **Tsai, C.-C. P.** (1997). Ground motion modeling for seismic hazard analysis in the near-source regime: An asperity model, *Pure appl. geophys.* **149**, No.2, 265-297.
12. **Tsai, C.-C. P.** (1997). Slip, stress drop and ground motion of earthquakes: A view from the perspective of fractional Brownian motion, *Pure appl. geophys.* **149**, No. 4, 689-706.

NON SCI REFEREED PAPERS

1. **Tsai, C.-C. P.** (1997). Relationships of seismic source scaling in the Taiwan region, *TAO*, **8**, 49-68.
2. **Tsai, C.-C. P.** (1997). A study of the effects of source scaling on seismic zonation in southwestern Taiwan, *Journal of the Geological Society of China*, **40**, No.4, 761-780.
3. **Tsai, C.-C. P.** (1993). Ground motion prediction using the barrier model, *Bull. Inst. Earth Sci., Acad. Sin.*, **13**, 8-12.
4. **Tsai, C. C.**, C. H. Loh and Y. T. Yeh (1987). Analysis of earthquake risk in Taiwan based on seismotectonic zones, *Memoir of the Geological Society of China*, **9**, 413-446.
5. **Tsai, C. C.**, Y. T. Yeh, K. L. Wen, S. N. Cheng and M. H. Kao (1986). The Hualien earthquake of May 20, 1986 — Strong ground motion data and response spectra, *Bulletin of the Institute of Earth Sciences, Academia Sinica*, **6**, 29-64.
6. Lai, S.-S. P. and **C.-C. Tsai** (1983). On the seismic risk assessment for Taiwan (in Chinese), *Journal of Engineering Environment*, **4**, 13-30.

專書論文

1. Tsai, C.-C. P. (1992). Engineering implications of asperity-induced ground motion, Ph.D. Dissertation, Dept. of Civil Engr., Stanford Univ., Stanford, California, USA, 245 pp.
2. 蔡主權 (1982). 台灣區地震危害度分析之研究，碩士論文，國立臺灣工業技術學院工程技術研究所，營建工程技術組，142 頁。

會議論文

1. **Tsai, C.-C. P.** and Y. H. Chen (2002). A new approach for the attenuation relationships using variance components technique, SSA 2002, Abstract of the 97th Annual Meeting, Victoria, British Columbia, Canada, 17-19 April 2002, *Seism. Res. Lett.* **73**, No. 2, 268-268.
2. Tsai, C.-C. P. and Y. H. Chen (2001). Variance components analysis of ground-motion variability for rock sites in Taiwan, SSA 2001, Abstract of the 96th Annual Meeting, San Francisco, California, USA, 18-20 April 2001, *Seism. Res. Lett.* **72**, No. 2, 285-285.
3. Chen, Y.-H. and C.-C. P. Tsai (2001). Variance components estimation with Taiwan seismic data, The 3rd Strait Statistics and Probability Conference, Taipei.
4. Tsai, C.-C. P. and K. C. Chen (2000). A model for the high-cut process of strong-motion accelerations in terms of distance, magnitude and site condition, 2000 Western Pacific Geophysics Meeting, June 27-30, 2000, Tokyo, Japan, *Eos, Transactions, American Geophysical Union*, Vol. 81, No. 22, May 30, 2000, WP149-149.

5. 蔡主權 (2000). 非線性場址效應及其對地震危險度分析之含意，集集地震研究系列研討會(三)，八十九年六月八-九日，中正大學理學院，34-36 頁。
6. 蔡主權、劉玉龍、江嘉豪 (1996). 震源尺度規律在地震危險度分析之應用，臺灣地區強地動觀測計畫研討會(二)論文摘要，交通部中央氣象局，58-62 頁。
7. Cornell, C. A. and P. Tsai (1995). Ground motion characterization using nonlinear structural response, in Proceedings: Modeling Earthquake Ground Motion at Close Distance, Section 17, pp. 17-11 -- 17-10, September 5-6, 1990, Stanford, California, EERI TR-104975, Research Project 3102-04, Prepared by Woodward-Clyde Consultants, Pasadena, California.
8. Tsai, C.-C. P. and C. A. Cornell (1995). Ground motion modeling for seismic hazard analysis in the near-source regime, in Proceedings: Modeling Earthquake Ground Motion at Close Distance, Section 14, pp. 14-1 -- 14-40, September 5-6, 1990, Stanford, California, EERI TR-104975, Research Project 3102-04, Prepared by Woodward-Clyde Consultants, Pasadena, California.
9. 蔡主權、王惟雱 (1993). 台灣地區震源參數分析方法之初探，臺灣地區強地動觀測計畫研討會論文摘要，交通部中央氣象局，第 81 頁。
10. 羅俊雄、葉永田、葉義雄、蔡主權、張午龍、簡文郁 (1993). 台灣地區核能電廠地震度評估 (II)，行政院原子能委員會，八十二年度專題研究計畫成果發表會，論文專輯（核能安全），441-458 頁。
11. Cornell, C. A. and P. Tsai (1990). Ground motion characterization using nonlinear structural response, in EPRI/STANFORD/USGS Workshop on "Modeling Earthquake Ground Motion at Close Distances," September 5-6, Stanford, California, U.S.A.
12. Tsai, C.-C. P. and C. A. Cornell (1990). Ground motion modeling for seismic hazard analysis in the near-source regime, in EPRI/STANFORD/USGS Workshop on "Modeling Earthquake Ground Motion at Close Distances," September 5-6, Stanford, California, U.S.A.
13. Tsai, C. C. and Y. T. Yeh (1988). Characteristics of strong ground motion in Taiwan, Proceedings of international workshop on seismic design, May 26-27, Taipei, Taiwan, R.O.C.
14. Yeh, Y. L., Y. T. Yeh and C. C. Tsai (1988). Attenuation of intensity in Taiwan, Annual Meeting of Geological Society of China, Chung-Li, Taiwan, R.O.C., March 26-27.
15. Tsai, C. C., Y. T. Yeh, K. L. Wen, S. N. Cheng and M. H. Kao (1987). The Hualien earthquake of May 20, 1986: strong ground motion data and response spectra, Annual Meeting of Geological Society of China, Taipei, Taiwan, R.O.C., April 12-13.
16. Tsai, C. C., K. L. Wen and Y. T. Yeh (1987). Site response analysis in Taiwan, U.S.-Asia Conference on Engineering for Mitigating National Hazards Damage, December 14-18, 1987, Bangkok, Thailand.
17. 蔡主權、羅俊雄、葉永田 (1986). Seismic hazard analysis and risk-consistent response spectra of Taipei and Kaohsiung cities, Chinese Geophysics Symposium, 107-115.
18. 蔡主權、鄭世楠、葉永田 (1986). Evaluation of maximum acceleration and frequency content of ground motion around dam site (in Chinese), Annual Meeting of Geological Society of China, Taipei, Taiwan, R.O.C., March 23.
19. 葉永田、陳國誠、溫國樑、蔡主權 (1986). An investigation of two destructive Hualien earthquakes in 1986 in the Taiwan area (in Chinese), Proceedings of Case Studies on the Four Major Disasters Occurred in Taiwan in 1986, 117-130.
20. Tsai, C. C. and Y. T. Yeh (1985). A seismic microzonation map of the Hsinchu-Taichung area in Taiwan (in Chinese), Proceedings of the 50th Anniversary Memorial Seminar on the 1935 Hsinchu-Taichung Earthquake, 103-113.
21. 葉永田、蔡義本、溫國樑、蔡主權、徐碧霞 (1985). Strong motion observational system of Institute of Earth Sciences, Academia Sinica (in Chinese), Proceedings of the 50th Anniversary Memorial Seminar on the 1935 Hsinchu-Taichung Earthquake, 137-155.
22. Yeh, Y. T., K. L. Wen and C. C. Tsai (1985). The observation and characteristics of strong motion in Taiwan, ROC-US-JAPAN Trilateral Seminar-Workshop on Lifeline Earthquake Engineering, Center for Earthquake Engineering Research, NTU, Taiwan, R.O.C., November 25-28.

1. 蔡主權、黃文紀、周啟聖、劉佳鑫、侯財源、吳嘉龍、林慶仁、劉忠智 (2002). 鯉魚潭水庫地震觀測及維護服務報告，中央研究院地球科學研究所，IESCR2002-006, 23+pp.
2. 蔡主權、周啟聖(2001). Nonlinear site effect and its implication for seismic hazard analysis, Institute of Earth Sciences, Academia Sinica.
3. 蔡主權 (1998). 強地動之特性及其對地震危險度分析之含意(II)，中央研究院地球科學研究所，國科會計畫編號：NSC 86-2116-M-001-006。
4. 蔡主權、江佩玲、江憲宗、侯財源、劉忠智 (1997). 鯉魚潭水庫地震觀測及維護服務報告，中央研究院地球科學研究所，IESCR97-005，15+ pp.
5. 蔡主權、江佩玲 (1997). 強地動之特性及其對地震危險度分析之含意，中央研究院地球科學研究所，國科會計畫編號：NSC 86-2116-M-001-006。
6. 蔡主權 (1996). 台灣地區地震危險度分析程式發展，期中報告（程式原始碼），財團法人台灣營建研究中心，27 pp.
7. 蔡主權、江憲宗、侯財源、劉忠智 (1996). 鯉魚潭水庫地震觀測及維護服務報告，中央研究院地球科學研究所，IESCR96-014，27+ pp.
8. 蔡主權、黃文紀 (1996). 近震源區強地動之模擬(III)，中央研究院地球科學研究所，國科會計畫編號：NSC 85-2111-M-001-014。
9. 蔡主權、張文音、劉玉龍、江嘉豪 (1995). 地震震源對震區劃分之影響，交通部中央氣象局，地震測報中心，技術報告彙編，第 11 卷，127-150 頁。
10. 江憲宗、蔡主權、蔡淑敏、董淑珍、吳嘉龍、侯財源、劉文相、劉忠智 (1995). 雲林地區水庫水源開發調查及可行性規劃，一、工程專題報告，(四)、地震調查研究，1. 八十四年度強地動觀測分析，中央研究院地球科學研究所，IESCR95-008，17+ pp.
11. 蔡主權、陳頌文 (1995). 近震源區強地動之模擬(II)，中央研究院地球科學研究所，國科會計畫編號：NSC 84-2111-M-001-004。
12. 江憲宗、蔡主權、蔡淑敏、侯財源、劉忠智 (1995). 鯉魚潭水庫壩址地區強震觀測報告，第五期報告，中央研究院地球科學研究所，IESCR95-006，21+ pp.
13. 江憲宗、蔡主權、蔡淑敏、侯財源、劉忠智 (1995). 鯉魚潭水庫壩址地區強震觀測報告，總報告，中央研究院地球科學研究所，IESCR95-007，42 pp.
14. 周智中、蔡主權、任森柯、張建興、鄒本駒、周榮華 (1995). 金馬地區風力地震力條文之研訂?? 有關風力級區與地震震區，內政部建築研究所籌備處，44 pp.
15. 羅俊雄、葉永田、葉義雄、辛在勤、蔡主權、簡文郁、黃正耀 (1994). 台灣地區核能電廠地震度評估(III)，國立台灣大學地震工程研究中心，CEER，R83-07，92 pp.
16. 蔡主權、葉永田、黃柏壽、黃文紀、陳頌文、林宗成 (1994). 近震源區強地動之模擬(I)，中央研究院地球科學研究所，國科會計畫編號：NSC 83-0202-M-001-030。
17. 蔡主權、王惟雱、林建邦、江嘉豪 (1994). 台灣地區震源參數分析，交通部中央氣象局，地震測報中心，技術報告彙編，第 8-1 卷，81-120 頁。
18. 黃志峰、江憲宗、蔡主權、侯財源、劉文相、劉忠智 (1994). 鯉魚潭水庫壩址地區強震觀測報告，第四期報告，中央研究院地球科學研究所，IESCR94-005，27+ pp.
19. 蔡主權、江憲宗、許明光、黃志峰、葉永田、劉文相、吳嘉龍、侯財源 (1994). 雲林地區水庫水源開發調查及可行性規劃，一、工程專題報告，(四)、地震調查研究，中央研究院地球科學研究所，58+ pp.
20. 羅俊雄、葉永田、葉義雄、蔡主權、張午龍、簡文郁 (1993). 台灣地區核能電廠地震度評估 (II)，國立台灣大學地震工程研究中心，CEER，R82-11，99 pp.
21. 葉永田、羅俊雄、葉義雄、辛在勤、蔡主權、簡文郁、鄭世楠、黃文紀 (1993). 國道南橫公路預定路廊地震影響評估，中國地球物理學會，106 pp.
22. 鄭世楠、蔡主權、葉永田 (1987). Report on the seismological observations around the Nanhua Reservoir area, Taiwan (in Chinese), Institute of Earth Sciences, Academia Sinica, 32 pp., June.
23. 蔡主權、葉永田、鄭世楠 (1987). Site-dependent design response spectra and synthetic accelerograms for Nanhua Dam, Taiwan (in Chinese), Institute of Earth Sciences, Academia Sinica, 41 pp., June.

24. 鄭世楠、蔡主權、葉永田 (1987). Strong motion observations of Feitsui Dam, Taiwan (in Chinese), Institute of Earth Sciences, Academia Sinica, 62 pp., September.
25. 蔡益超、邱昌平、楊永斌、蔡主權 (1987). Suggested seismic design provisions for viaducts and bridges of Taipei Metropolitan Area Rapid Transit System (in Chinese), Center for Earthquake Engineering Research, National Taiwan University, 56 pp., October.
26. 蔡主權、蔡益超 (1987). Proposed design response spectra for Taipei Metropolitan Area Rapid Transit System (in Chinese), Center for Earthquake Engineering Research, National Taiwan University, 112 pp., October.
27. Tsai, C. C., T. L. Liaw and C. Wang (1986). Evaluation of seismic hazard of the Mudan Dam on the Ssuchunghsi in Hengchun Peninsula, Institute of Earth Sciences, Academia Sinica, 71 pp., June.
28. 黃柏壽、蔡主權 (1986). 墨西哥震災的禍首：諧振，科學月刊，第十七卷，第三期 (總號：195 期)，195-197。
29. 鄭世楠、蔡主權、葉永田 (1986). Report on the seismological observations around the Feitsui Reservoir area, Taiwan (in Chinese), Institute of Earth Sciences, Academia Sinica, 91 pp., July.
30. 鄭世楠、蔡主權、葉永田 (1986). Report on the seismological observations around the Liyutan Reservoir area, Taiwan (in Chinese), Institute of Earth Sciences, Academia Sinica, 58 pp., October.
31. Tsai, C. C., C. H. Chen, Y. T. Yeh and Y. B. Tsai (1985). Investigation of seismicity and active faults around the Liyutan Dam area — Report on instrumentation and analysis of strong-motion records (in Chinese), Institute of Earth Sciences, Academia Sinica, 53 pp., July.
32. Tsai, C. C. and Y. T. Yeh (1985). Seismic design criteria for proposed CBK platform site, offshore Hsinchu, Taiwan, Preliminary Report, Institute of Earth Sciences, Academia Sinica, 29 pp., May.
33. Tsai, C. C. and Y. T. Yeh (1985). Seismic design criteria for proposed CBK platform site, offshore Hsinchu, Taiwan, Pre-final Report, Institute of Earth Sciences, Academia Sinica, 49 pp., August.
34. Tsai, C. C. and Y. T. Yeh (1985). Seismic design criteria for proposed CBK platform site, offshore Hsinchu, Taiwan, Final Report, Institute of Earth Sciences, Academia Sinica, 82 pp., August.
35. Tsai, C. C., S. N. Cheng, B. S. Huang and Y. T. Yeh (1985). Preliminary study of earthquake frequency contents and an evaluation of the maximum peak ground acceleration for the Nanhua Dam site (in Chinese), Institute of Earth Sciences, Academia Sinica, 69 pp., December.
36. 賴世聲、熊雲嶺、蔡主權 (1982). Seismic risk assessment of major oil storage tank fields in Taiwan (in Chinese), Dep. of Construction Engineering and Technology, National Taiwan Institute of Technology, CT81/42, ER82/01, 164 pp., April.